

IRONCREEK

RESTAURANT SUPPLY

MINI

CATALOG



**IDAHO'S PREMIERE ATOSA DEALER! OUR PRICES CAN'T BE BEAT,
GUARANTEED!**

CONTACT US FOR A CUSTOM QUOTE!

PHONE: (208)649-4766 EMAIL: INFO@IRONCREEKSUPPLY.COM

REFRIGERATION



Top Mount Refrigerators

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBF8004GR	1	21.4	3	28 ^{7/10} × 31 ^{7/10} × 81 ^{3/10}	4"	254	1/7	R290
MBF8005GR	2	43.2	6	51 ^{7/10} × 31 ^{7/10} × 81 ^{3/10}	4"	390	1/5	R290
MBF8006GR	3	64.9	9	77 ^{4/5} × 31 ^{7/10} × 81 ^{3/10}	4"	551	1/4	R290

Top Mount Freezers

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBF8001GR	1	21.4	3	28 ^{7/10} × 31 ^{7/10} × 81 ^{3/10}	4"	269	1/2	R290
MBF8002GR	2	43.2	6	51 ^{7/10} × 31 ^{7/10} × 81 ^{3/10}	4"	403	3/4	R290
MBF8003GR	3	64.9	9	77 ^{4/5} × 31 ^{7/10} × 81 ^{3/10}	4"	569	1	R290



Top Mount 1/2 Door Refrigerators

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBF8010GR	2	21.4	3	28 ^{7/10} × 31 ^{7/10} × 81 ^{3/10}	4"	271	1/7	R290
MBF8010GRL								

Top Mount 1/2 Door Freezers

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBF8007GR	2	21.4	3	28 ^{7/10} × 31 ^{7/10} × 81 ^{3/10}	4"	287	1/2	R290
MBF8007GRL								



Bottom Mount Refrigerators

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBF8505GR	1	19.1	3	27 × 31 ^{7/10} × 83 ^{1/10}	4"	282	1/7	R290
MBF8507GR	2	43.8	6	54 ^{2/5} × 31 ^{7/10} × 83 ^{1/10}	4"	452	1/5	R290
MBF8508GR	3	68	9	81 ^{9/10} × 31 ^{7/10} × 83 ^{1/10}	4"	615	1/4	R290

Bottom Mount Freezers

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBF8501GR	1	19.1	3	27 × 31 ^{7/10} × 83 ^{1/10}	4"	298	1/2	R290
MBF8503GR	2	44.8	6	54 ^{2/5} × 31 ^{7/10} × 83 ^{1/10}	4"	465	3/4	R290
MBF8504GR	3	68	9	81 ^{9/10} × 31 ^{7/10} × 83 ^{1/10}	4"	628	1	R290

REFRIGERATION

Glassdoors Reach-Ins



MCF8709GR

MCF8703GR
MCF8707GR

Glass Door Refrigerators

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MCF8705GR	1	19.1	4	27×31 ^{7/10} ×83 ^{1/10}	4"	326	1/7	R290
MCF8707GR	2	44.8	8	54 ^{2/5} ×31 ^{7/10} ×83 ^{1/10}	4"	540	1/5	R290
MCF8709GR	2	44.9	8	54 ^{2/5} ×29 ^{7/10} ×81 ^{1/5}	2"	511	1/4	R290

Glass Door Freezers

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MCF8701GR	1	19.1	4	27×31 ^{7/10} ×83 ^{1/10}	4"	342	1/2	R290
MCF8703GR	2	44.8	8	54 ^{2/5} ×31 ^{7/10} ×83 ^{1/10}	4"	553	3/4	R290



MCF8701GR
MCF8705GR

MCF8724GR

MCF8723GR

MCF8722GR
MCF8725GR

Glass Door Refrigerators

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MCF8722GR	1	19.4	4	27×31 ^{1/2} ×81 ^{1/5}	2"	326	1/7	R290
MCF8723GR	2	43.8	8	54 ^{2/5} ×31 ^{1/2} ×81 ^{1/5}	2"	540	1/5	R290
MCF8724GR	3	69.5	12	81 ^{9/10} ×31 ^{1/2} ×81 ^{1/5}	2"	761	1/4	R290
MCF8725GR	1	11.1	4	24 ^{1/5} ×24×76 ^{1/5}	2"	251	1/7	R290

Countertop Glassdoors Merchandisers



CTD-5

CTD-3S

CTD-3

Glass Door Countertop Merchandisers

Models	Doors	Cu.Ft.	Shelves	Dimensions	Gross Weight	HP	Refrigerant
CTD-3	1	2.4	3	17 ^{1/4} ×19 ^{3/4} ×27 ^{1/2}	57	1/10	R600a
CTD-3S	1	2.4	3	18 ^{1/8} ×18 ^{1/2} ×33	70	1/8	R600a
CTD-5	1	4.6	4	21 ^{1/4} ×22×33 ^{3/4}	95	1/8	R600a



CRDC-35
CRDC-46

CRDS-42
CRDS-56

Countertop Refrigerated Display Curved/Square

Models	Doors	Cu.Ft.	Shelves	Dimensions	Gross Weight	HP	Refrigerant
CRDC-35	2	3.5	2	27 ^{3/5} ×22 ^{1/10} ×26 ^{2/5}	172	1/5	R290
CRDC-46	2	4.6	2	35 ^{2/5} ×22 ^{1/10} ×26 ^{2/5}	200	1/5	R290
CRDS-42	2	4.2	2	27 ^{3/5} ×22 ^{1/10} ×26 ^{2/5}	192	1/5	R290
CRDS-56	2	5.6	2	35 ^{2/5} ×22 ^{1/10} ×26 ^{2/5}	214	1/5	R290

REFRIGERATION

Bar Equipment



Direct Draw Keg Coolers

Models	Doors	Cu.Ft.	Dimensions	Casters	Gross Weight	HP	Refrigerant
MKC23GR	1	7.1	23 × 31 ^{1/10} × 39 ^{3/10}	2"	188	1/7	R290
MKC58GR	2	17.3	57 ^{4/5} × 28 ^{1/10} × 40 ^{1/10}	2"	243	1/7	R290
MKC68GR	2	21.5	68 × 28 ^{1/10} × 40 ^{1/10}	2"	291	1/7	R290
MKC90GR	3	30.1	89 ^{3/10} × 28 ^{1/10} × 40 ^{1/10}	2"	357	1/5	R290



Back Bar Coolers with Glass Doors

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBB48G-GR	2	12.9	4	48 × 28 ^{1/10} × 40 ^{1/10}	2"	262	1/7	R290
MBB59G-GR	2	17.3	4	57 ^{4/5} × 28 ^{1/10} × 40 ^{1/10}	2"	284	1/7	R290
MBB69G-GR	2	21.5	4	68 × 28 ^{1/10} × 40 ^{1/10}	2"	317	1/7	R290
MBB90G-GR	3	30.1	6	89 ^{3/10} × 28 ^{1/10} × 40 ^{1/10}	2"	392	1/5	R290



Back Bar Coolers

Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBB48GR	2	12.9	4	48 × 28 ^{1/10} × 40 ^{1/10}	2"	240	1/7	R290
MBB59GR	2	17.3	4	57 ^{4/5} × 28 ^{1/10} × 40 ^{1/10}	2"	262	1/7	R290
MBB69GR	2	21.5	4	68 × 28 ^{1/10} × 40 ^{1/10}	2"	295	1/7	R290
MBB90GR	3	30.1	6	89 ^{3/10} × 28 ^{1/10} × 40 ^{1/10}	2"	370	1/5	R290



Horizontal Bottle Coolers

Models	Cu.Ft.	Wire Dividers	Dimensions	Casters	Gross Weight	HP	Refrigerant
MBC50GR	11.7	3	49 ^{2/5} × 27 ^{4/5} × 36 ^{3/5}	2"	236	1/7	R290
MBC65GR	16.4	4	64 ^{4/5} × 27 ^{4/5} × 36 ^{3/5}	2"	278	1/7	R290
MBC80GR	21.2	5	80 ^{1/2} × 27 ^{4/5} × 36 ^{3/5}	2"	344	1/5	R290

REFRIGERATION

Prep Tables

Standard Top Sandwich Prep Tables



Models	Doors	Cu.Ft.	Pans	Dimensions	Casters	Gross Weight	HP	Refrigerant
MSF8301GR	1	7.2	8	27 ^{1/2} ×30×44 ^{3/10}	5"	196	1/7	R290
MSF8302GR	2	13.4	12	48 ^{1/5} ×30×44 ^{3/10}	5"	276	1/7	R290
MSF8303GR	2	17.2	16	60 ^{1/5} ×30×44 ^{3/10}	5"	320	1/5	R290
MSF8304GR	3	21.1	18	72 ^{7/10} ×30×44 ^{3/10}	5"	379	1/5	R290

Mega Top Sandwich Prep Tables



Models	Doors	Cu.Ft.	Pans	Dimensions	Casters	Gross Weight	HP	Refrigerant
MSF8305GR	1	7.2	12	27 ^{1/2} ×34×46 ^{3/5}	5"	212	1/7	R290
MSF8306GR	2	13.4	18	48 ^{1/5} ×34×46 ^{3/5}	5"	293	1/7	R290
MSF8307GR	2	17.2	24	60 ^{1/5} ×34×46 ^{3/5}	5"	340	1/5	R290
MSF8308GR	3	21.1	30	72 ^{7/10} ×34×46 ^{3/5}	5"	401	1/5	R290

Refrigerated Pizza Prep Tables



Models	Doors	Cu.Ft.	Pans	Dimensions	Casters	Gross Weight	HP	Refrigerant
MPF8201GR	1	9.7	6	44×33 ^{1/10} ×44	5"	295	1/7	R290
MPF8202GR	2	18.5	9	67×33 ^{1/10} ×44	5"	406	1/5	R290
MPF8203GR	3	28.4	12	93×33 ^{1/10} ×44	5"	527	1/4	R290

Worktop Refrigerators with Backsplash



Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MGF8408GR	1	7.2	1	27 ^{1/2} ×30×39 ^{4/5}	4"	176	1/7	R290
MGF8409GR	2	13.4	2	48 ^{3/10} ×30×39 ^{4/5}	4"	242	1/7	R290
MGF8410GR	2	17.2	2	60 ^{1/5} ×30×39 ^{4/5}	4"	277	1/5	R290

Undercounter Refrigerators



Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MGF8401GR	1	7.2	1	27 ^{1/2} ×30×34 ^{1/5}	2"	172	1/7	R290
MGF8402GR	2	13.4	2	48 ^{3/10} ×30×34 ^{1/5}	2"	231	1/7	R290
MGF8403GR	2	17.2	2	60 ^{3/10} ×30×34 ^{1/5}	2"	265	1/5	R290
MGF8404GR	3	21.1	3	72 ^{7/10} ×30×34 ^{1/5}	2"	315	1/5	R290

Undercounter Freezers



Models	Doors	Cu.Ft.	Shelves	Dimensions	Casters	Gross Weight	HP	Refrigerant
MGF8405GR	1	7.2	1	27 ^{1/2} ×30×34 ^{1/5}	2"	179	1/5	R290
MGF8406GR	2	13.4	2	48 ^{1/5} ×30×34 ^{1/5}	2"	245	1/4	R290

Chef Bases



MGF8450GR MGF8451GR MGF8452GR
MGF8453GR MGF8454GR

Refrigerated Chef Bases

Models	Pans per Unit	Cu.Ft.	Dimensions	Casters	Gross Weight	HP	Refrigerant
MGF8450GR	4*1/1 & 6*1/6	7.7	48 ^{2/5} ×32×26 ^{3/5}	5"	258	1/7	R290
MGF8451GR	6*1/1	8.4	51 ^{4/5} ×32×26 ^{3/5}	5"	273	1/7	R290
MGF8452GR	6*1/1	8.4	60 ^{1/2} ×32×26 ^{3/5}	5"	282	1/7	R290
MGF8453GR	8*1/1	12.1	72 ^{2/5} ×32×26 ^{3/5}	5"	364	1/7	R290
MGF8454GR	8*1/1	12.1	76×32×26 ^{3/5}	5"	368	1/7	R290

Chest Freezers



MWF9016GR

MWF9010GR

MWF9007



MMF9113

MMF9110

Solid Top Chest Freezers

Models	Doors	Cu.Ft.	Voltage	Dimensions	Casters	Gross Weight	HP	Refrigerant
MWF9007	1	7	115/60/1	37 ^{4/5} ×20 ^{3/5} ×32 ^{1/2}	1"	95	1/8	R600a
MWF9010GR	1	9.6	115/60/1	40 ^{1/2} ×26 ^{1/2} ×32 ^{1/2}	1"	127	1/5	R290
MWF9016GR	1	15.9	115/60/1	60 ^{3/10} ×26 ^{1/2} ×32 ^{1/2}	1"	165	1/5	R290

Angle Curved Glass Top Chest Freezers

Models	Doors	Cu.Ft.	Voltage	Dimensions	Casters	Gross Weight	HP	Refrigerant
MMF9110	2	9.5	115/60/1	40 ^{3/4} ×26 ^{3/4} ×33 ^{3/8}	2"	132	1/4	R290
MMF9113	2	12.8	115/60/1	50 ^{1/8} ×26 ^{3/4} ×33 ^{3/8}	2"	150	1/4	R290

Ice Makers

Undercounter Ice Makers



YR140-AP-161 / YR280-AP-161

Models	Type	Ice-making Capacity	Dimensions	Leg	Gross Weight	Refrigerant
YR140-AP-161	Cube ice	142lbs/24hr	23 ^{1/2} ×28 ^{1/2} ×38 ^{3/5}	6"	154	R290
YR280-AP-161	Cube ice	283lbs/24hr	23 ^{1/2} ×28 ^{1/2} ×38 ^{3/5}	6"	163	R290

Modular Ice Makers



YR450-AP-161 / YR800-AP-261

Models	Type	Ice-making Capacity	Dimensions	Leg	Gross Weight	Refrigerant
YR450-AP-161	Cube ice	460lbs/24hr	30 ^{1/5} ×24 ^{9/20} ×21 ^{7/10}	6"	183	R290
YR800-AP-261	Cube ice	810lbs/24hr	30 ^{1/5} ×24 ^{9/20} ×31 ^{7/10}	6"	233	R-404a

Ice Storage Bin



CYR700P

CYR400P

Models	Type	Foaming Material	Storage Capacity	Dimensions	Leg	Gross Weight
CYR400P	Ice bin	C ₅ H ₁₀	396lbs	30 ^{1/4} ×32 ^{3/4} ×41 ^{1/4}	6"	123
CYR700P	Ice bin	C ₅ H ₁₀	700lbs	48 ^{1/4} ×32 ^{1/2} ×41	6"	154

Counter Tops



ATCB-48

ATCB-36

ATCB-24



ATRC-48

ATRC-36

ATRC-24



ATSP-18-2
ATSP-18-2L

ATSP-18-1
ATSP-18-1L



ATMG-48

ATMG-36

ATMG-24



ATTG-48

ATTG-36

ATTG-24



ACHP-6

ACHP-4

ACHP-2

Countertop Charbroilers

Models	Gas type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATCB-24	NG	2	70,000/hr	4" w.c.	24×27 ^{3/5} ×15 ^{1/5}	168
ATCB-36	NG	3	105,000/hr	4" w.c.	36×27 ^{3/5} ×15 ^{1/5}	238
ATCB-48	NG	4	140,000/hr	4" w.c.	48×27 ^{3/5} ×15 ^{1/5}	314

Countertop Radiant Broilers

Models	Gas type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATRC-24	NG	2	70,000/hr	4" w.c.	24×27 ^{3/5} ×15 ^{1/5}	147
	LP		70,000/hr	10" w.c.		
ATRC-36	NG	3	105,000/hr	4" w.c.	36×27 ^{3/5} ×15 ^{1/5}	205
	LP		105,000/hr	10" w.c.		
ATRC-48	NG	4	140,000/hr	4" w.c.	48×27 ^{3/5} ×15 ^{1/5}	256

Single and Double Stock Pot Stoves

Models	Gas type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATSP-18-1	NG	2	80,000/hr	4" w.c.	18×20 ^{9/10} ×22 ^{4/5}	119
	LP		80,000/hr	10" w.c.		
ATSP-18-2	NG	4	160,000/hr	4" w.c.	18×41 ^{7/10} ×22 ^{4/5}	222
	LP		160,000/hr	10" w.c.		
ATSP-18-1L	NG	2	80,000/hr	4" w.c.	18×20 ^{9/10} ×17 ^{9/10}	117
	LP		80,000/hr	10" w.c.		
ATSP-18-2L	NG	4	160,000/hr	4" w.c.	18×41 ^{7/10} ×17 ^{9/10}	221

Manual Griddles

Models	Gas Type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATMG-24	NG	2	60,000/hr	4" w.c.	24×28 ^{3/5} ×15 ^{1/5}	195
	LP		60,000/hr	10" w.c.		
ATMG-36	NG	3	90,000/hr	4" w.c.	36×28 ^{3/5} ×15 ^{1/5}	281
	LP		90,000/hr	10" w.c.		
ATMG-48	NG	4	120,000/hr	4" w.c.	48×28 ^{3/5} ×15 ^{1/5}	414
	LP		120,000/hr	10" w.c.		

Thermostatic Griddles

Models	Gas Type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATTG-24	NG	2	50,000/hr	4" w.c.	24×28 ^{3/5} ×15 ^{1/5}	195
	LP		50,000/hr	10" w.c.		
ATTG-36	NG	3	75,000/hr	4" w.c.	36×28 ^{3/5} ×15 ^{1/5}	281
	LP		75,000/hr	10" w.c.		
ATTG-48	NG	4	100,000/hr	4" w.c.	48×28 ^{3/5} ×15 ^{1/5}	415
	LP		100,000/hr	10" w.c.		

Countertop Ranges (Hot Plates)

Models	Gas Type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ACHP-2	NG	2	64,000/hr	4" w.c.	12×27 ^{3/5} ×13 ^{1/10}	74
	LP		64,000/hr	10" w.c.		
ACHP-4	NG	4	128,000/hr	4" w.c.	24×27 ^{3/5} ×13 ^{1/10}	125
	LP		128,000/hr	10" w.c.		
ACHP-6	NG	6	192,000/hr	4" w.c.	36×27 ^{3/5} ×13 ^{1/10}	180
	LP		192,000/hr	10" w.c.		

GAS EQUIPMENT

Gas Ranges

Gas Ranges (4, 6 & 10 Burner Models)



Models	Gas Type	Burner Name	Burners	Total BTU	Dimensions	Gross Weight
AGR-4B	NG	Hot plates	4	152,000	24×31×57 ^{3/8}	428
		Oven	1			
	LP	Hot plates	4	116,000		
		Oven	1			
AGR-6B	NG	Hot plates	6	219,000	36×31×57 ^{3/8}	568
		Oven	1			
	LP	Hot plates	6	219,000		
		Oven	1			
AGR-10B	NG	Hot plates	10	374,000	60×31×57 ^{3/8}	897
		Oven	2			
	LP	Hot plates	10	284,000		
		Oven	2			



36" Combination Gas Ranges

Models	Gas Type	Burner Name	Burners	Total BTU	Dimensions	Gross Weight
AGR-2B24G	NG	Hot plates	2	136,000	36×31×57 ^{3/8}	607
		Griddle	2			
		Oven	1			
	LP	Hot plates	2	121,000		
		Griddle	2			
Oven		1				
AGR-4B12G	NG	Hot plates	4	176,000	36×31×57 ^{3/8}	590
		Griddle	1			
		Oven	1			
	LP	Hot plates	4	140,000		
		Griddle	1			
Oven		1				
AGR-24G2B	NG	Hot plates	2	139,000	36×31×57 ^{3/8}	607
		Griddle	2			
		Oven	1			
	LP	Hot plates	2	121,000		
		Griddle	2			
Oven		1				
AGR-12G4B	NG	Hot plates	4	176,000	36×31×57 ^{3/8}	590
		Griddle	1			
		Oven	1			

60" Combination Gas Ranges

Models	Gas Type	Burner Name	Burners	Total BTU	Dimensions	Gross Weight
AGR-48G2B	NG	Hot plates	2	220,000	60×31×57 ^{3/8}	971
		Griddle	4			
		Oven	2			
AGR-36G4B	NG	Hot plates	4	257,000	60×31×57 ^{3/8}	949
		Griddle	3			
		Oven	2			
	LP	Hot plates	4	221,000		
		Griddle	3			
Oven		2				
AGR-24G6B	NG	Hot plates	6	294,000	60×31×57 ^{3/8}	941
		Griddle	2			
		Oven	2			
	LP	Hot plates	6	240,000		
		Griddle	2			
Oven		2				
AGR-2B48G	NG	Hot plates	2	220,000	60×31×57 ^{3/8}	971
		Griddle	4			
		Oven	2			
AGR-4B36G	NG	Hot plates	4	257,000	60×31×57 ^{3/8}	949
		Griddle	3			
		Oven	2			
	LP	Hot plates	4	221,000		
		Griddle	3			
Oven		2				
AGR-6B24G	NG	Hot plates	6	294,000	60×31×57 ^{3/8}	941
		Griddle	2			
		Oven	2			
	LP	Hot plates	6	240,000		
		Griddle	2			
Oven		2				



GAS EQUIPMENT



AGR-36G

AGR-24G

Gas Ranges with Griddle Tops

Models	Gas Type	Burner Name	Burners	Total BTU	Dimensions	Gross Weight
AGR-24G	NG	Griddle	2	72,000	24×31×57 ^{3/8}	469
		Oven	1			
	LP	Griddle	2	72,000		
		Oven	1			
AGR-36G	NG	Griddle	3	102,000	36×31×57 ^{3/8}	622
		Oven	1			
	LP	Griddle	3	102,000		
		Oven	1			

Cheese Melter

36" Infrared Cheese Melter (Range or Wall Mount)



ATCM-36

Models	Gas Type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATCM-36	NG	2	43,000	5" w.c.	36×18×17 ^{1/3}	119
	LP	2	43,000	10" w.c.		

Salamander Broiler

36" Infrared Salamander Broiler (Range or Wall Mount)



ATSB-36

Models	Gas Type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATSB-36	NG	2	43,000	5" w.c.	36×18×17 ^{1/3}	169
	LP	2	43,000	10" w.c.		

Fryers

Fryers



ATFS-75


ATFS-50

ATFS-40

Models	Gas Type	Burners	Total BTU	Regulator	Dimensions	Gross Weight
ATFS-40	NG	3	102,000	4" w.c.	15 ^{3/5} ×30 ^{1/10} ×44 ^{2/5}	160
	LP	3	90,000	10" w.c.		
ATFS-50	NG	4	136,000	4" w.c.	15 ^{3/5} ×30 ^{1/10} ×44 ^{2/5}	171
	LP	4	120,000	10" w.c.		
ATFS-75	NG	5	170,000	4" w.c.	21 ^{1/10} ×30 ^{1/10} ×44 ^{2/5}	200
	LP	5	150,000	10" w.c.		

Electric Steam Tables

Electric Steam Tables



CSTEB-5B

CSTE-A-4B

CSTE-A-3B

CSTE-A-2B

Models	Wells	Cu.Ft.	HP	Volts	Top Opening	Dimensions	Gross Weight
CSTE-A-2B	2	10.9	1	120V	2	30×29 ^{1/2} ×33 ^{1/2}	77
CSTE-A-3B	3	15.5	1	120V	3	44 ^{1/8} ×29 ^{1/2} ×33 ^{1/2}	104
CSTE-A-4B	4	19.8	1	120V	4	58×29 ^{1/2} ×33 ^{1/2}	131
CSTEB-5B	5	29.7	1	240V	5	72 ^{1/2} ×29 ^{1/2} ×33 ^{1/2}	168

Warming Cabinets



Insulated Heater/Proofer/Holding Cabinets

Models	Volts	Pans	Watts	Frequency	Temperature	Dimensions	Gross Weight
ATHC-9	120	9	2000	60	80-220	25 ^{1/10} × 30 ^{7/10} × 42 ^{7/10}	168
ATHC-18	120	18	2000	60	80-220	25 ^{1/10} × 30 ^{7/10} × 69 ^{7/10}	212

Gas Convection Ovens



Convection Ovens

Models	Shelves	Rack Guides	Total BTU	Voltage	Dimensions	Gross Weight
ATCO-513B-1	5	13	46,000/hr	115/60/1	38 ^{1/5} × 48 ^{3/5} × 59 ^{2/5}	525
ATCO-513B-2	10	26	92,000/hr	115/60/1	38 ^{1/5} × 48 ^{3/5} × 69	1050

Stainless Sinks



Models	Ga.	Bowl Size(inch) (L×D×H*)	Leg Size(inch)	Exterior Dimensions(inch) (L×D×H)	Net Weight(lbs)
MRSA-3-D	16	24 × 24 × 14	19 ^{1/2}	120 × 30 × 44 ^{1/2}	161
MRSA-3-D	18	18 × 18 × 12	21 ^{1/2}	90 × 24 × 44 ^{1/2}	84

Model	Ga.	Bowl Size(inch)	Leg Size(inch)	Exterior Dimensions(inch)	Net Weight(lbs)
MRSA-1-L	18	18 × 18 × 12	22 ^{1/2}	39 × 24 × 44 ^{1/2}	39

Model	Ga.	Bowl Size(inch)	Leg Size(inch)	Exterior Dimensions(inch)	Net Weight(lbs)
MRS-I-MOP	18	18 × 18 × 13	20 ^{1/2}	21 × 21 ^{1/2} × 44 ^{1/2}	30

Model	Ga.	Bowl Size(inch)	Leg Size(inch)	Exterior Dimensions(inch)	Net Weight(lbs)
MRSA-1-N	18	18 × 18 × 12	21 ^{1/2}	24 × 24 × 44 ^{1/2}	30

Model	Ga.	Bowl Size(inch)	Exterior Dimensions(inch)	Net Weight(lbs)
MRS-HS-18(W)	18	14 × 10 × 5	18 × 14 ^{1/2} × 11	13

Model	Ga.	Bowl Size(inch)	Exterior Dimensions(inch)	Net Weight(lbs)
MRS-HS-14(W)	18	10 × 12 × 5	14 × 16 ^{1/2} × 11	12

More options available!

Stainless Tables



Model	Legs	Ga.	Exterior Dimensions(inch)	Packaging Dimensions(inch)	Net Weight (lbs)	Gross Weight (lbs)
SSTW-2424	4	18	24(L) x 24 x 34	29 x 35 x 4	32	34
SSTW-2430	4	18	30(L) x 24 x 34	29 x 35 x 4	35	39
SSTW-2436	4	18	36(L) x 24 x 34	26 x 37 x 4	40	44
SSTW-2448	4	18	48(L) x 24 x 34	26 x 50 x 4	48	54
SSTW-2460	4	18	60(L) x 24 x 34	26 x 62 x 4	57	63
SSTW-2472	4	18	72(L) x 24 x 34	26 x 74 x 4	66	72

Model	Legs	Ga.	Exterior Dimensions(inch)	Packaging Dimensions(inch)	Net Weight (lbs)	Gross Weight (lbs)
SSTW-3030	4	18	30(L) x 30 x 34	35 x 35 x 4	41	45
SSTW-3036	4	18	36(L) x 30 x 34	32 x 37 x 4	45	51
SSTW-3048	4	18	48(L) x 30 x 34	32 x 50 x 4	57	62
SSTW-3060	4	18	60(L) x 30 x 34	32 x 62 x 4	67	73
SSTW-3072	4	18	72(L) x 30 x 34	32 x 74 x 4	77	86
SSTW-3084	4	18	84(L) x 30 x 34	32 x 84 x 4	93	103
SSTW-3096	4	18	96(L) x 30 x 34	32 x 98 x 4	103	115

ASK ABOUT OTHER ITEMS! THIS BROCHURE IS LIMITED BUT NOT LIMITED TO WHAT WE SUPPLY!

Combi Ovens



FEATURES

1. 10" Smart Touch Screen- Large cooking process icons with clear, colorful and vibrant graphics.
2. Chef Touch Controls- User friendly / easy access Combi modes, programmed recipe library and customized menu option.
3. Flat Screen Tempered Glass Operational Systems.
4. ATOSA Combi Smart Cooking- Automated cabinet monitoring to maintain cooking temperature, humidity and load size.
5. Combi Smart Touch Processes- Programed multi-stage cooking, manual cook, core probe cooking, cook and hold.
6. 8 Fan Speed Balance Reverse.
7. Patented "Sator Steam Technology"- Designed for maximized steam saturation and humidity.
8. Optimal Climatic Control.
9. Sub-divided Heating System- For maximum recovery.
10. Smart Touch Rack Timing- For mixed load batch cooking, banquets, buffet and a la carte restaurant service.
11. USB Storage- Share Combi recipes, programs, and HACCP data with multiple locations and chains.
12. Wi-Fi Connection- Remotely monitor Combi operating status in real time with fault alarm via tablet or smart phone.
13. Wi-Fi Self Diagnostics Protection- Safety Protections to protect and ensure oven remains in safe working order.
14. Wi-Fi Service Diagnostics- Remote service tech diagnostics and component trouble shooting.
15. 6 Mode Automated Combi Wash- Cleaning based on soil and usage to include automatic shut down and unlock when finished.
16. Non-Proprietary Chemicals- Combi wash is approved for use of generic / inexpensive liquid Combi cleaners and rinse agents.
17. Twin Fill Tanks- Automatic reminder to add cleaner / rinse to tanks when low without always checking at time of cleaning.
18. Sleek Patent Design- Triple pane glass, condensed footprint, convenient for surface cleaning and maintenance.
19. Footless Combi' Design- Ergonomic footing for stability, placement and cleanliness.
20. High-Pressure Coil Wash Hose- Ideal for manual quick flush, quench, rinsing and cabinet quick cleaning.

AEC-0511E		Atosa Combi Oven Capacity: 5ea 1/2-Sheet Pan OR 5ea GN1/1 Pan Dimensions: 30 W * 34 D * 28 H
AEC-0711E		Atosa Combi Oven Capacity: 7ea 1/2-Sheet Pan OR 7ea GN1/1 Pan Dimensions: 30 W * 34 D * 35 H
AEC-1011E		Atosa Combi Oven Capacity: 10ea 1/2-Sheet Pan OR 10ea GN1/1 Pan Dimensions: 30 W * 34 D * 41 H
AEC-0621E		Atosa Combi Oven Capacity: 6ea Full Sheet Pan OR 6ea GN2/1 Pan Dimensions: 35 W * 42 D * 36 H
AEC-1021E		Atosa Combi Oven Capacity: 10ea Full Sheet Pan OR 10ea GN2/1 Pan Dimensions: 35 W * 42 D * 48 H

- Atosa frequency inverter refrigeration system saves more than 20% energy consumption than current walk-in in USA market
- Frequency inverter compressor can work from 20Hz to 90Hz, this feature makes Atosa walk-in have high-frequency operation at high load which can achieve rapid cooling, and also have high efficiency
- Walk-In condensing units run very quietly, working noise level is only at 30-60dBs
- Atosa Walk-In keeps competitive price with above frequency inverter energy saving technology, the customer of Atosa Walk-in can save money at both initial equipment investment and dairy operating cost
- Atosa Walk-In offers 15 sizes of walk-in coolers and freezers, capacity ranges from 120cu.ft(4'X6'size) to 860 cu.ft(10'X14'size)



Condensing Unit

Evaporating Unit

